southwestern Texas had decidedly heavy rains during the last week.

In the Pacific Northwest there was practically no rain until the 9th, but afterwards considerable amounts were received, the falls about the 16th being especially liberal and widespread. The San Joaquin Valley in California received considerable rainfall for the time of the year, about the 7th.

Over two-thirds of the States failed to receive their June normal amounts of rainfall. The exceptions were New Jersey and the New England States, Michigan and Wisconsin, and the Pacific States, with Arizona. Massachusetts received more than twice its normal, on the average, Oregon an inch more than normal, and Washington over 2 inches more than normal.

In the States of the western half, which have not been accounted for above, there was usually from a half to four-fifths of the normal June rainfall, but southern Idaho and northern Utah had remarkably little, while the middle and lower Rio Grande Valley had more than normal.

In the lower Mississippi Valley and to eastward decided shortages were noted, especially in northern Georgia and districts adjacent. From Missouri and Iowa eastward the quantities were usually not much below normal, and they generally exceeded the normal in northwestern Indiana and the upper Ohio Valley.

In western Washington 16.39 inches was measured at one station, the largest in the United States proper. In

the South, Runge, Tex., measured 12.58 inches, while the East was led by 11.33 inches at a station in Putnam County, N. Y.

SNOWFALL

Scarcely any snowfall was reported from the elevated stations of the Western States, save that a few points in the Sierra Nevada Mountains had measurable falls. It is stated that the northern part of Flathead County, Mont., had an unusually heavy June snowstorm on the 16th and 17th.

SUNSHINE AND RELATIVE HUMIDITY

More than the average amount of sunshine was received from the eastern foothills of the Rocky Mountains eastward to the Atlantic, except in portions of the Lake region, the northern Ohio Valley, the far Northeast, and the western Gulf States. More than normal was likewise received in much of California and southeastern Oregon. Elsewhere it was generally near the average.

The relative humidity was above the normal throughout portions of the Pacific States, the southern plateau, and the southern portion of Texas, the upper Lake region, portions of the Ohio Valley and northern Appalachian Mountains and the New England States. However, in all cases the departures were but slightly above normal. Elsewhere the humidity was generally below normal with minus departures rather pronounced in the southern Appalachian region, the southern portions of the Great Plains, and the northern Rocky Mountains.

SEVERE LOCAL STORMS, JUNE, 1931

The table herewith contains such data as have been received concerning severe local storms that occurred during the month. A more complete statement will appear in the Annual Report of the Chief of Bureau]

Place	Date	Time	Width of path, yards 1	Loss of life	Value of property destroyed		Remarks	Authority	
Olar (near), S. C.	1	5:30 p. m	4 mi.		\$65,000	Hail	Severe crop damage; path, 7 miles	Official, U. S. Weather Bureau.	
Billings to Ballantine, Mont	9	4-5 n m			25, 000	Tornadic wind	Damage chiefly to oil refinery	Do.	
Bridgewater (near), S. Dak	2	5:30 p. m	16		500	Small tornado	Cabins destroyed	Do.	
Grand Rapids (near), Mich	3	4-5 p. m 5:30 p. m				Thunderstorms	Power and telephone service interrupted; sev-	Do.	
			l	1		Wind.	eral buildings damaged. Farm buildings and trees damaged.	Do.	
Warren, Ill Lafayette County, Wis. (south-	3		4 mi		4,000	Thundersquall	Several barns damaged or demolished; path, 8	Do.	
ern).	*		4 1111.		4,000	I nunders quan	miles long.		
Northboro, Iowa (southwest of)	4	 		-	875	Tornado and hail.	Minor damage to property; poultry killed	Do.	
Waushara County, Wis. (eastern)	4	11 p. m 12:30 a. m. 3-7 a. m.	3 mi.		3, 000	Thundersquall	Buildings damaged	Do.	
Apple River, Ill., and vicinity	5	12:30 a. m_	4 mi.			Severe wind	Property damaged; several thousand dollars	Do.	
Union County, Iowa	5	3-7 a. m			2,000	Rain and hail	Truck gardens hurt	Do.	
Decatur County, Iowa	5	5 a. m	3 mi.		4, 200	Wind, rain and floods.	Buildings and crops damaged; path, 6 miles	Do.	
French (near) to Sedan, N. Mex.	5	12:15-6 p. m.		1	30, 000	Tornado and hail-	Livestock killed: buildings and orchards wrecked; path, 90 miles long.	Do.	
Harper County, Okla. (northern).	5	4 p. m	2 mi.		160, 000	Hail	Damage chiefly to crops; path, 24 miles long	Do.	
Logan and Thomas Counties, Kans.	5	:	1, 760			do	Wheat total loss in places; path, 30 miles long	Do.	
Freedom (near), Okla	5	6:20 p. m		 	15,000	do	Corps damaged	Do.	
Clark County, Iowa	6	2-7 p. m			3,000	Wind and hail	Greenhouses and crops damaged; path, 12	Do.	
Knox and Cedar Counties, Nebr.	6	4 p. m	Upto2mi.		65, 000	Tornado	miles long. Farm buildings demolished; crops injured 10 per cent in places; path, 18 miles long.	Do. Do.	
Indiana County, Pa.(central)	6	4–5 p. m	1, 760		10,000	Hail and wind	Many buildings unroofed; orchards and crops badly damaged.	Do.	
Waterville, Kans. (5 miles south- west).	6	4:30 p. m	300		5, 000	Small tornado	Farm buildings wrecked; path, 900 yards long.	Do.	
Salina, Kans., and vicinity		5 p. m	6 mi.		10, 000	Hail	path, 15 miles long.	Do.	
Lincoln, Nebr		5:45 p. m	2 mi.				houses: path, 2 miles long.	Do.	
Elk (near), Kansas	6	6 p. m			3,000	Tornado and hail	Farm property damaged; path, 10 miles long	Do.	
Wilson County, Kans	6				14, 000	Hail	Character of damage not reported Chief damage to wheat and oats; trees stripped;	Do. Do.	
Olathe, Kans., and vicinity	6	7 p. m		i í	60, 000	Hail and wind	path 10 miles long.	D0.	
Shattuck, Okla	6	7 p. m	3 mi.			do	Heavy crop loss: path. 6 miles long	Do.	
Eureka (near)	6	7:30 p. m	17		100	Small tornado	Small farm buildings damaged; path 1,300 vards long.	Do.	
Independence, Kans., and vicinity.	6	8:30 p. m	ĺ			Hail	Greenhouses and fruit damaged; path 1 mile long.	Do.	
Greensburg, Pa., and vicinity	6	10 p. m	880		5,000	Wind	Several farm buildings demolished	Do.	
Pennsylvania (northeastern)	6	P, m			250, 000	Wind, electrical, hail and rain.	Extensive damage to buildings and other property.	Do.	
Evansville, Ind., and vicinity		:] }		Thunderstorm and wind.	Some delay caused by flooding of streets and sewers; other property damaged.	Do.	
Missouri (northwestern)	6		½-4 mi.		75, 000	Hail, wind, and rain.	Orchards and field crops severely damaged; windows broken.	Do.	
Mounds, Ill., a.d vicinity	6-7		3 mi.		10, 850	Hail	Fruits and vegetables injured 25 to 90 per cent; roofs, auto tops, and tents pierced; path 5 miles long.	Do.	

MONTHLY WEATHER REVIEW

Severe local storms, June, 1931—Continued

Place	Date	Time	Width of path, yards	Loss of life	Value of property destroyed	Character of storm	Remarks	Authority
Pennsylvania (South-central)	7				\$100,000	Electrical, wind,		Official, U. S. Weath
rederick and Carroll Counties,	7	3:30 p. m		- -	- -	and hail. Wind	killed. Several small buildings unroofed; many trees	Bureau. Do.
Md. Chickasaw County, Iowa	8	2 a m	1, 760		2,000	Hail	and a few poles blown down. Crops injured; path 4 miles long	Do.
Davidson, Okla	8	5 p. m 6 p. m	1, 760	l	2,000	do	Uotton crop injured: path 2 miles	Do. Do.
lark County, Kans	10	4 p. m	2.5 mi. 3 mi.		15, 000	do	Chief damage to crops; path 4 miles long Wheat loss 50 to 100 per cent; windows and	Do. Do.
Reno County, Kans	10	6:30 p. m			50,000	do	autos damaged; path 10 miles long. Farm property severely damaged	Do.
teno County, Kans Jnion (near), Okla Hasco (near), Kans	10 10	7 p. m			25, 500 1, 000	Small tornado	Considerable crop loss; minor property damage. Residence and implement shed wrecked; path	Do. Do.
,		, "					4 miles long.	1
Concordia to Belleville, Kans	10	8:30 p. m			500	Violent wind and probably small	Number of small buildings unroofed	Do.
Mayfield, Kans., and vicinity	10	P. m	3 mi.	ł		tornado. Hail	Wheat total loss; other crops badly injured;	Do.
· · ·	11			ŀ	i		path 7 miles long. Chief damage to crops; path 8 miles long	Do.
ryor, Okla., and vicinity lochelle (near), Tex	ii	2:30 p. m 4 p. m	2 mi. 150		12,000	Tornado	4 persons injured; character of damage not re-	Do. Do.
an Saba (near), Tex	11	5 p. m	2, 640	 		Hail	ported. Crops damaged; livestock killed	Do.
Arreenville, Commerce, and Cooper, Tex.	11	6:45 p. m	12 mi.			Wind	Buildings unroofed; chimneys, poles, and trees blown down.	Do.
Deport, Tex.	11	8 p. m			10,000	do	Buildings damaged	Do.
rinceton (near), Tex Boone County, Nebr. (western)	11 12	8:30 p. m 3 p. m	1, 320 1, 760		1,000 9,000	Wind and hail Hail	Some damage to buildings and crops	Do. Do.
rownfield (near), Tex	12	7 p. m	$2 \mathbf{m}$ i.		5,000	do	Crops ruined.	Do.
Tossuth County, Iowa	12	10 p. m	4 mi.		4,000	Wind	Windmills and buildings damaged; path, 6 miles long.	Do.
upelo (near), Miss	12	11 p. m	0/			Probably tornado	Crops and trees damaged	Do.
Hamlin (near), Tex Princeton, Ind	12 12	P. m	3 mi.		3, 000	Hail Wind	Crops ruined Buildings damaged	Do. Do.
herman County, Kans. (east-	12	P. m			6,000	Hail	Wheat injured	Do.
ern). Duplin County, N. C. (north-	13	5 p. m	880		100,000	Hail and wind	Damage chiefly to crops; 4 barns and other	Do.
western). lbemarle County, Va. (south-	13	8:30-11:30	⅓-6 mi.	 - <i></i>	30,000	Hail	small buildings blown down. Fruits, chiefly apples, damaged	Do.
western).	_	p. m.	72 0 1111.	}	00,000		, , , , ,	
Parden City, Kansouth Byron, N. Y	13 14	3–5 p. m	2, 640		10,000	do	4,000 acres of wheat damaged	Do. Do.
Rush Center and vicinity, Kans-	14	4-5 p. m	2, 640 2 mi.		10,000	do	Wheat damaged 40 per cent; path, 5 miles long.	Do. Do.
marillo, Tex. (east of)	14 14	6 p. m 6:30 p. m	2 mi.		50,000	do	Much loss to crops	Do.
tice and Reno Counties, Kans	14	7-9 p. m	4 mi.		600,000	do	Heavy damage to wheat, apples, and gardens; windows and auto tops pierced; path, 35	Do.
		İ					miles long.	
Harvey County, Kans	14	9-9:30 p.m.	2 mi.		70,000	do	Heavy damage to automobiles, roofs, and windows; traffic delayed; path, 12 miles long.	Do.
Iancock County, Ga. (southern)	14				2,000	Wind and thun-	Crops injured	Do. Do.
Buffalo, N. Y	14					derstorm.	damaged.	
Waycross, Ga	14			}	5,000	Wind	Church demolished and several roofs blown off; 2 persons injured.	Do.
Bickleton, Wash	15	6:30 p. m	1,760		5,000	Hail	Grains, gardens, shrubbery, and windows	Do.
Montezuma, Ga	15			l		Wind	damaged. Small barns, tenant house, and church wrecked.	Do.
Frenton, S. C	15 16				6,000 16,300	Thunderstorm	Cotton gin burned	Do. Do.
Dallas, Tex	17	5:10 p. m	l	.1	. 60,000	Thunderstorm	Oil tank struck by lightning and burned	Do.
Ooretta, Mont Clay and Chickasaw Counties,	17 18	Noon	2 mi.		22,000	Hail Wind	Considerable damage, character not reported	Do. Do.
Iowa.		-midnight.	J	1	1]		ì
Vinneshiek, Wayne, and Benton Counties, Iowa.	19	A. m			14,500	do	i	1
Wessington (near), S. Dak. Davison to Lake County, S. Dak.	19 19	4:30 p. m	880 10 mi.			Tornado and hail	Farm buildings wrecked	Do. Do.
		7 p. m		1	1		buildings damaged.	
Kossuth County, Iowa Mallard (near), Iowa	19 19				7,300	Tornadodo	Buildings damaged Damage chiefly to farm property; path, 1 mile	Do. Do.
• • • • • • • • • • • • • • • • • • • •				i	7,000]	long.	Do.
Sioux Rapids (near), Iowa	19	do	67			Tornado and wind	long.	1
Hayfield (near), Iowa	19	10:30 p. m.		1	24, 000	do		Do.
				-	_	1 .	long.	70-
Deerfield (near) to Alta Vista, Iowa.	19	11-11:30 p. m.			70,000	do	Buildings and crops heavily damaged; live- stock killed or injured.	Do.
Waterloo, Iowa	19	11:40 p. m.	267		. 8,000	Tornado	Character of property damaged not reported;	Do.
Sarwin (near), Iowa	19	11:45 p. m.			1,200	do	path, 2 miles. Buildings and trees damaged; path, 6 miles	Do.
Carroll and Cherokee Counties,	19	1	ļ.	1)	Wind and hail	long.	Do.
Iowa.				1	'	1		1
Lyndonville and Wilson, N. Y Whitehall (near) and Neilsville	19 19				14,000 3,000	Electrical Thunderstorm and	Several buildings burned	Do. Do.
(near), Wis.	l			1	1	hail.	damaged.	
erico, Iowa (north of)	20	12:15 p. m.		1	1	Tornado and wind.	long.	Do.
Walthill, Nebr. (4 miles south-	20	4 p. m	880		-	Hail		Do.
west). Cass, Pottawattamie, Shelby, and	20	P. m			208,000	Wind and hail	Heavy crop loss; buildings damaged	Do.
Humboldt Counties, Iowa. Central and southern counties,	20	do_		. 1		Severe electrical	Many trees blown down; several barns	Do.
New York.	-3			1		and wind.	wrecked; much damage to roofs, buildings,	
Freen and Sac counties, Iowa	20				6,000	Hail	and wires; livestock killed. Crops damaged	Do.
Juthrie, Harrison, Hancock, Linn, and Winneshiek Coun-	20					Wind	Crops and buildings damaged	Do,
ties, Iowa.			1		1	1		D.
Montana (southeastern counties)_ Pocahontas County, Iowa	21 22	1:30-2 n m			25, 000	Hail Wind and hail	Crops damaged.	Do. Do.
Newton, Ill., and vicinity	22					do	Number of buildings damaged; poles and trees	Do.
	I	1	I	1	1	i	blown down, electric service interrupted; fruit and grain crops hurt.	1

MONTHLY WEATHER REVIEW

Severe local storms, June, 1931—Continued

Place	Date	Time	Width of path, yards	of	Value of property destroyed	Character of storm	Remarks	Authority
Marshall County, Iowa	22	9 p. m			\$14,000	Wind	Buildings, fruit trees, and crops injured	Official, U. S. Weather Bureau.
Elgin (near), Ill	22					Wind and rain		Do.
De Kalb County, Ill. (northern)	22					Wind, hail, and rain.	loss. Oats, hay, fruit, and gardens almost total loss in places; roofs damaged; wire services inter-	Do.
Dubuque, Iowa Macoupin County, Ill. (central)_	22 22			 -		Wind	rupted. Factories and residence considerably damaged. Several buildings damaged; trees and wheat blown down.	Do. Do.
Montana (northeastern counties) Hopkins, S. C. Montana (south-central counties) Evansyille, Ind., and vicinity	22 23 23 24	9-10 p. m			3,000	Hail Hail and wind Hail Electrical	Growing crops damaged Crops, cabins, and outbuildings damaged Growing crops damaged	Do. Do. Do.
Franklin County, Miss Statesboro (near), Ga				1		Thunder squall	Telephone lines, homes and other buildings damaged. Residences damaged. Several tobacco barns damaged; many trees	Do. Do. Do.
Michigan (straits to southern boundary).	26 26					Wind, electrical and rain.	blown down. Many buildings damaged; trees uprooted	Do.
Sunbury, Pa., and vicinity Ohio (northern) Montana (east-central counties)	26-27 28-28			4		Thunderstorms and wind, Hail	Garages and autos wrecked; crops damaged Extensive destruction of property of all kinds; Cleveland hardest hit; 1 person injured.	Do. Do.
Kettle Falls, Wash	29 29 29	2:30 p. m 3-4:15 p.m_			25, 000	Thunder and hail Hail	Crops damaged Chief damage to apple crop Considerable damage, character not reported; path 15 miles long.	Do. Do. Do.
Rock Hill, S. C	29 29	P. m			3, 000 100, 000	Hail and wind Hail	Character of damage not reported Severe crop damage	Do. Do.
Indiana	29			- -		11 severe wind storms.	Character of damage not reported	Do.
Bunker Hill, Ill	30	6 p. m	3 mi		10,000		Buildings damaged or wrecked; poles and trees	Do.
Gordo (near), Ala	30			- -		Wind and hail	blown down; crops flattened; path 5 miles. Number of small buildings wrecked; trees up-	Do.
Hernando, Miss., and vicinity	30				3,000	Violent wind and	rooted. Character of damage not reported.	Do.
Literbury, Ill., and vicinity	30	 				hail. Wind and rain	Small buildings and crops damaged; 2 persons injured.	Do.

RIVERS AND FLOODS

By MONTROSE W. HAYES

Many of the rivers in the mid-western and far-western States were still at very low stages in June, and in no part of the country were there any river rises of importance. Heavy rains in northeastern Missouri and southern Kansas overflowed creeks, and caused damage estimated at \$9,000 in Missouri and \$4,000 in Kansas.

Table of bankful stages in June, 1931

River and station	Flood	Above flood stages—dates		Crest	
	stage	From-	То—	Stage	Date
ATLANTIC SLOPE DRAINAGE Connecticut: Hartford, Conn	Feet 16	10	13	Feet 17. 6	11
Upper Mississippi Basin. Illinois: Peru, Ill. Arkansas Basin. Fountain: Fountain, Colo	14 8	25 25	25	14. 1 8. 6	25 25
GULF OF CALIFORNIA DRAINAGE Colorado: Parker, Ariz	7	í	30	8. 0	10-15
Columbia Basin. Columbia: Marcus, Wash	24	12	16	24. 2	13, 14